

Listing of the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) A computer system for presenting stored data comprising:
a data store including a plurality of items, wherein at least a portion of said items include one or more field entries; and
an explorer configured to utilize a query to select items having one or more desired field entries from said data store ~~which interacts with said data store to select items having one or more desired field entries~~, wherein said explorer displays said selected items according to an explorer display schema, wherein said query is stored as part of said explorer and defines said one or more desired field entries, and wherein said explorer display schema is stored as part of said explorer and includes one or more visual elements selected for display with items having said one or more desired field entries associated with said explorer.
2. (original) The computer system of Claim 1, wherein said explorer display schema includes one or more decorative elements presented with said selected items.
3. (original) The computer system of Claim 1, wherein said explorer display schema includes one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said selected items.
4. (original) The computer system of Claim 3, wherein one or more of the shell view schemas includes one or more display aspects appropriate for displaying said subset of selected items to the user.

5. (original) The computer system of Claim 1, wherein said explorer utilizes a shell display schema associated with a shell browser to display one or more of said selected item.
6. (original) The computer system of Claim 1, wherein said explorer utilizes one or more item display schemas associated with a shell browser to provide one or more display elements included in the display of one or more selected items.
7. (original) The computer system of Claim 1, wherein said explorer display schema includes verbs related to said selected items.
8. (original) The computer system of Claim 7, wherein said verbs are associated with applications capable of performing said verbs with respect to one or more of said selected items.
9. (original) The computer system of Claim 1, wherein said explorer display schema includes one or more data queries which are associated with the selected items.
10. (original) The computer system of Claim 9, wherein said explorer is configured to display results of one or more of said data queries.

11. (currently amended) A computer-implemented method for presenting one or more items in a data store to a user, the method comprising:

selecting a desired field entry corresponding to a field entry associated with at least one item in the data store, wherein at least a portion of the items in the data store include one or more field entries;

defining an explorer display schema that includes one or more visual elements selected for display with items having said desired field entry;

storing a query for identifying items in the data store having said desired field entry;

~~querying-accessing~~ said data store by utilizing said query to select one or more items including said desired field entry; and

displaying one or more of said selected items to the user according to said explorer display schema.

12. (original) The method of Claim 11, wherein defining said explorer display schema includes defining one or more decorative elements to be included in a display according to said explorer display schema.

13. (original) The method of Claim 11, wherein defining said explorer display schema includes defining one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said selected items.

14. (original) The method of Claim 11, wherein displaying one or more of said items includes utilizing a shell display schema associated with a shell browser to display one or more selected items.

15. (original) The method of Claim 11, wherein displaying one of the said selected items includes utilizing an item display schema associated with a shell browser to provide one or more display attributes included in the display of one or more selected items.

16. (original) The method of Claim 11, wherein displaying said selected items includes displaying verbs which are related to said selected items.

17. (original) The method of Claim 16, wherein said verbs are associated with applications capable of performing said verbs with respect to one or more of said set of selected items.

18. (original) The method of Claim 11, wherein displaying said selected items includes providing one or more data queries which are associated with said selected items.

19. (original) The method of Claim 18, wherein said explorer is configured to display results of one or more of said data queries.

20. (currently amended) An explorer for presenting a plurality of items in a data store to a user comprising:

a query storage component configured to store a query associated with said explorer, wherein said query indicates ~~a field entry selection component for selecting a~~ desired field entry corresponding to a field entry associated with at least one of said items in the data store, wherein at least a portion of the items in the data store include one or more field entries;

~~an item selection component~~ a search engine which is configured to access said data store to select one or more items having the desired field entry by utilizing said query; and

a display presentation component which is configured to present one or more of said selected items to a user according to an explorer display schema that includes one or more visual elements selected for display with items having said desired field entry.

21. (currently amended) An application program executable by a computer for presenting one or more items from a data store to a user, said application comprising:

a query storage component configured to store a query that indicates a desired field entry corresponding to a field entry associated with at least one of said items in the data store, wherein at least a portion of the items in the data store include one or more field entries;

an item selection module which is configured to utilize said query ~~access said data store~~ to select one or more items from the data store having a desired field entry, ~~wherein at least a portion of the items in the data store include one or more field entries, and wherein said desired field entry is selected from said field entries; and~~

a shell interaction module which is configured to interact with a shell browser to present one or more of said selected items to a user according to an explorer display schema that includes one or more visual elements selected for display with items having said desired field entry.

22. (original) The application of Claim 21, wherein said explorer display schema includes one or more decorative elements to be included in a display according to said explorer display schema.

23. (original) The application of Claim 21, wherein said shell interaction module is configured to provide one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of selected items.

24. (original) The application of Claim 21, wherein said shell interaction module is configured to utilize one or more shell display schemas associated with a shell browser to display one or more selected items.

25. (original) The application of Claim 21, wherein said shell interaction module is configured to utilize an item display schema associated with a shell browser to provide one or more display attributes included in the display of one or more selected items.

26. (original) The application of Claim 21, wherein said explorer display schema includes verbs which are related to said selected items.

27. (original) The application of Claim 26, wherein said verbs are associated with applications capable of performing said verbs with respect to one or more of said selected items.

28. (original) The application of Claim 21, wherein said explorer display schema includes one or more data queries which are associated with the selected items.

29. (currently amended) A computerized method for presenting a plurality of items in a data store to a user, said method comprising:

selecting a desired field entry corresponding to a field entry associated with at least one of said plurality of items, wherein at least a portion of said plurality of items are associated with one or more field entries;

defining an explorer display schema that includes one or more visual elements selected for display with items having said desired field entry;

storing along with said explorer display schema a query for identifying items in the data store having said desired field entry;

querying ~~accessing~~ said data store by utilizing said query to select one or more items having said desired field entry; and

interacting with a shell browser to present one or more of said selected items to the user according to said explorer display schema.

30. (original) The method of Claim 29, wherein said explorer display schema includes one or more decorative elements, one or more verbs associated with said selected items and/or one or more data queries associated with said selected items.

31. (original) The method of Claim 29, wherein interacting with said shell browser includes providing one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said selected items.

32. (original) The method of Claim 29, wherein interacting with said shell browser includes utilizing one or more shell display schemas associated with said shell browser to display one or more selected items.

33. (original) The method of Claim 29, wherein interacting with said shell browser includes utilizing an item display schema associated with said shell browser to provide one or more display attributes included in the display of one or more selected items.

34. (currently amended) A computerized method for establishing an explorer for presenting to a user items in a data store, said method comprising:

selecting a desired field entry corresponding to a field entry associated with at least one of said items in the data store, wherein at least a portion of said items are associated with one or more field entries;

defining explorer attributes associated with said explorer, wherein said explorer attributes include one or more visual elements selected for display with items having said desired field entry; and

storing along with said explorer attributes a query for identifying items in the data store having said desired field entry;

identifying one or more items having said desired field entry by searching said data store with said query; and

presenting at least a portion of said one or more items ~~one or more items in the data store associated with said desired field entry~~ to the user with a display schema including said one or more visual elements ~~explorer attributes~~.

35. (original) The method of Claim 34, wherein said desired field entry is associated with an item property desired for each item displayed in said explorer.

36. (original) The method of Claim 34, wherein said explorer attributes include decorative elements, one or more verbs associated with said presented items, and/or one or more data queries associated with said presented items.

37. (original) The method of Claim 34, wherein said explorer attributes include one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said presented items.

38. (original) The method of Claim 34, wherein said display schema includes one or more shell display schemas associated with a shell browser to display one or more presented items.

39. (original) The method of Claim 34, wherein said display schema includes utilizing an item display schema associated with a shell browser to provide one or more display attributes included in the display of one or more presented items.

40. (currently amended) A computerized method for establishing an explorer for presenting to a user a plurality of items in a data store, said method comprising:

selecting a desired field entry corresponding to a field entry associated with at least one of said plurality of items, wherein at least a portion of said plurality of items are associated with one or more field entries;

defining explorer attributes associated with said explorer, wherein said explorer attributes include one or more visual elements selected for display with items having said desired field entry; and

storing along with said explorer attributes a query for identifying items in the data store having said desired field entry;

searching said data store with said query to identify one or more items having said desired field entry; and

interacting with a shell browser to present said one or more items ~~in the data store associated with said desired field entry~~ to the user with a display schema including said one or more visual elements ~~explorer attributes~~.

41. (original) The method of Claim 40, wherein said explorer attributes include decorative elements, one or more verbs associated with said presented items, and/or one or more data queries associated with said presented items.

42. (original) The method of Claim 40, wherein said explorer attributes include one or more shell view schemas, wherein one of said shell view schemas is utilized to display a subset of said presented items.

43. (original) The method of Claim 40, wherein interacting with said shell browser includes utilizing a shell display schema provided by said shell browser to display one or more presented item to the user.

44. (original) The method of Claim 40, wherein interacting with said shell browser includes utilizing one or more display attributes from an item display schema provided by said shell browser to display one or more presented item to the user.